Contents:

Volume 104, Number 1, January 1987

1 **A monoclonal antibody against the nucleus reveals the presence of a common protein in the nuclear envelope, the perichromosomal region, and cytoplasmic vesicles.** M. Wataya-Kaneda, Y. Kaneda, T. Sakurai, H. Sugawa, and T. Uchida

9 **Chromosomes move poleward in anaphase along stationary microtubules that coordinately disassemble from their kinetochore ends.** G. J. Gorbsky, P. J. Sammak, and G. G. Borisy

19 **Isolation and characterization of the gene for myosin light chain two of *Drosophila melanogaster.*** J. Toffenetti, D. Mischke, and M. L. Pardue

29 **Tropomyosin distinguishes between the two actin-binding sites of villin and affects actin-binding properties of other brush border proteins.** D. R. Burgess, K. O. Broschat, and J. M. Hayden

41 **Acetylated α-tubulin in *Physarum*: immunological characterization of the isotype and its usage in particular microtubular organelles.** R. Sasse, M. C. P. Glyn, C. R. Birkett, and K. Gull

51 **Development of a differentiated microtubule structure: formation of the chicken erythrocyte marginal band in vivo.** S. Kim, M. Magendantz, W. Katz, and F. Solomon

61 **Signal recognition particle causes a transient arrest in the biosynthesis of prepromelittin and mediates its translocation across mammalian endoplasmic reticulum.** I. Ibrahimi

67 **Transport of a fluorescent macromolecule via endosomes to the vacuole in *Saccharomyces cerevisiae.*** M. Makarow and L. T. Nevalainen

77 **Characterization of endocytic compartments using the horseradish peroxidase/diaminobenzidine density shift technique.** R. S. Ajioka and J. Kaplan

87 **Acetylcholine receptor clustering and nuclear movement in muscle fibers in culture.** L. L. Englander and L. L. Rubin

97 **Disruption and reformation of the acetylcholine receptor clusters of cultured rat myotubes occur in two distinct steps.** D. W. Pumplin and R. J. Bloch

109 **Cell accumulation in the junctional region of denervated muscle.** E. A. Connor and U. J. McMahan

121 **Localization of cell surface sites involved in fibronectin fibrillogenesis.** D. M. Pesciotta Peters and D. F. Mosher

131 **Platelet thrombospondin mediates attachment and spreading of human melanoma cells.** D. D. Roberts, J. A. Sherwood, and V. Ginsburg

141 **Identification and purification of a sperm surface protein with a potential role in sperm–egg membrane fusion.** P. Primakoff, H. Hyatt, and J. Tredick-Kline

151 **Selection of chemotaxis mutants of *Dictyostelium discoideum*.** J. E. Segall, P. R. Fisher, and G. Gerisch

163 **Acknowledgment**

Volume 104, Number 2, February 1987

175 **U1 precursors: variant 3′ flanking sequences are transcribed in human cells.** J. G. Patton and E. D. Wieben

183 **Control of hsp70 RNA levels in human lymphocytes.** L. Kaczmarek, B. Calabretta, H.-T. Kao, N. Heintz, J. Nevins, and R. Baserga

189 **Inhibition of in vitro nuclear transport by a lectin that binds to nuclear pores.** D. R. Finlay, D. D. Newmeyer, T. M. Price, and D. J. Forbes

201 **Direct probing of the interaction between the signal sequence of nascent preprolactin and the signal recognition particle by specific cross-linking.** M. Wiedmann, T. V. Kurzchalia, H. Bielka, and T. A. Rapoport

209 **Determination of the membrane topology of the phenobarbital-inducible rat liver cytochrome P-450 isozyme PB-4 using site-specific antibodies.** C. De Lemos-Chiarandini, A. B. Frey, D. D. Sabatini, and G. Kreibich

221 **A vesicular intermediate in the transport of hepatoma secretory proteins from the rough endoplasmic reticulum to the Golgi complex.** H. F. Lodish, N. Kong, S. Hirani, and J. Rasmussen

231 **Microtubule-acting drugs lead to the nonpolarized delivery of the influenza hemagglutinin to the cell surface of polarized Madin–Darby canine kidney cells.** M. J. Rindler, I. E. Ivanov, and D. D. Sabatini

243 **Phasic release of newly synthesized secretory proteins in the unstimulated rat exocrine pancreas.** P. Arvan and J. D. Castle

253 **Phosphorylation, glycosylation, and proteolytic activity of the 52-kD estrogen-induced protein secreted by MCF_7 cells.** F. Capony, M. Morisset, A. J. Barrett, J. P. Capony, P. Broquet, F. Vignon, M. Chambon, P. Louisot, and H. Rochefort

263 **Mesosecrin: a secreted glycoprotein produced in abundance by human mesothelial, endothelial, and kidney epithelial cells in culture.** J. G. Rheinwald, J. L. Jorgensen, W. C. Hahn, A. J. Terpstra, T. M. O'Connell, and K. K. Plummer

277 **Dynamic and stable populations of microtubules in cells.** E. Schulze and M. Kirschner

289 **Microtubules containing acetylated α-tubulin in mammalian cells in culture.** G. Piperno, M. LeDizet, and X. Chang

303 **Distribution of acetylated alpha-tubulin in *Physarum polycephalum*.** M. A. Diggins and W. F. Dove

311 **Effect of vanadate on cartilage-matrix proteoglycan synthesis in rabbit costal chondrocyte cultures.** Y. Kato, M. Iwamoto, T. Koike, and F. Suzuki

321 **Topography of cell wall lytic enzyme in *Chlamydomonas reinhardtii*: form and location of the stored enzyme in vegetative cell and gamete.** Y. Matsuda, T. Saito, T. Yamaguchi, M. Koseki, and K. Hayashi

331 **Sequential expression and differential function of multiple adhesion molecules during the formation of cerebellar cortical layers.** C.-M. Chuong, K. L. Crossin, and G. M. Edelman

343 **Membrane glycoproteins involved in neurite fasciculation.** F. G. Rathjen, J. M. Wolff, R. Frank, F. Bonhoeffer, and U. Rutishauser

355 **Extension of neurites on axons is impaired by antibodies against specific neural cell surface glycoproteins.** S. Chang, F. G. Rathjen, and J. A. Raper

363 **Changes in the number of chick ciliary ganglion neuron processes with time in cell culture.** L. W. Role and G. D. Fischbach

371 **The distribution of acetylcholine receptor clusters and sites of transmitter release along chick ciliary ganglion neurite–myotube contacts in culture.** L. W. Role, D. G. Roufa, and G. D. Fischbach

---

Volume 104, Number 3, March 1987

381 **The multitubulin hypothesis revisited: what have we learned?** D. W. Cleveland

385 **Genetic analysis of microtubule structure: a β-tubulin mutation causes the formation of aberrant microtubules in vivo and in vitro.** M. T. Fuller, J. H. Caulton, J. A. Hutchens, T. C. Kaufman, and E. C. Raff

395 **Microtubule dynamics in vivo: a test of mechanisms of turnover.** P. J. Sammak, G. J. Gorbsky, and G. G. Borisy

407 **Flagellar gyration and midpiece rotation during extension of the acrosomal process of *Thyone* sperm: how and why this occurs.** L. G. Tilney and S. Inoué

417 **A mutation affecting basal body duplication and cell shape in *Paramecium*.** F. Ruiz, N. Garreau de Loubresse, and J. Beisson

431 **Subpellicular and flagellar microtubules of *Trypanosoma brucei brucei* contain the same α-tubulin isoforms.** A. Schneider, T. Sherwin, R. Sasse, D. G. Russell, K. Gull, and T. Seebeck

439 **Distinct localization and cell cycle dependence of COOH terminally tyrosinolated α-tubulin in the microtubules of *Trypanosoma brucei brucei*.** T. Sherwin, A. Schneider, R. Sasse, T. Seebeck, and K. Gull

447 **Slow myosin in developing rat skeletal muscle.** M. Narusawa, R. B. Fitzsimons, S. Izumo, B. Nadal-Ginard, N. A. Rubinstein, and A. M. Kelly

461 **Common structural domains in the sarcoplasmic reticulum Ca-ATPase and the transverse tubule Mg-ATPase.** E. Damiani, A. Margreth, A. Furlan, A. S. Dahms, J. Arnn, and R. A. Sabbadini

473 **Properties of smooth muscle meta-vinculin.** J. D'Angelo Siliciano and S. W. Craig

483 **Microvascular pericyte contractility in vitro: comparison with other cells of the vascular wall.** C. Kelley, P. D'Amore, H. B. Hechtman, and D. Shepro

491 **Microinjection of gelsolin into living cells.** J. A. Cooper, J. Bryan, B. Schwab, III, C. Frieden, D. J. Loftus, and E. L. Elson

503 **Calpactins: two distinct Ca^{++}-regulated phospholipid- and actin-binding proteins isolated from lung and placenta.** J. R. Glenney, Jr., B. Tack, and M. A. Powell

513 **Using antibodies against *Dictyostelium* membranes to identify an actin-binding membrane protein.** S. S. Brown and A. S. Petzold

519 **Beta spectrin bestows protein 4.1 sensitivity on spectrin–actin interactions.** T. R. Coleman, A. S. Harris, S. M. Miche, M. S. Mooseker, and J. S. Morrow

527 **Visualization of the hexagonal lattice in the erythrocyte membrane skeleton.** S.-C. Liu, L. H. Derick, and J. Palek

537 **Microinjection of ubiquitin: intracellular distribution and metabolism in HeLa cells maintained under normal physiological conditions.** N. Carlson and M. Rechsteiner

547 **Microinjection of ubiquitin: changes in protein degradation in HeLa cells subjected to heat-shock.** N. Carlson, S. Rogers, and M. Rechsteiner

557 **Functional gap junctions are not required for muscle gene activation by induction in *Xenopus* embryos.** A. Warner and J. B. Gurdon

565 **Immunolocalization of MP70 in lens fiber 16–17-nm intercellular junctions.** W. T. M. Gruijters, J. Kistler, S. Bullivant, and D. A. Goodenough

573 **The fibronectin cell attachment sequence arg-gly-asp-ser promotes focal contact formation during early fibroblast attachment and spreading.** I. i. Singer, D. W. Kawka, S. Scott, R. A. Mumford, and M. W. Lark

585 **A cell surface receptor complex for collagen type I recognizes the arg-gly-asp sequence.** S. Dedhar, E. Ruoslahti, and M. D. Pierschbacher

595 **Monoclonal antibodies in the analysis of fibronectin isoforms generated by alternative splicing of mRNA precursors in normal and transformed human cells.** L. Borsi, B. Carnemolla, P. Castellani, C. Rosellini, D. Vecchio, G. Allemanni, S. E. Chang, J. Taylor-Papadimitriou, H. Pande, and L. Zardi

601 **Induction of fibronectin matrix assembly in human fibrosarcoma cells by dexamethasone.** P. J. McKeown-Longo and C. A. Etzler

611 **Type VII collagen forms an extended network of anchoring fibrils.** D. R. Keene, L. Y. Sakai, G. P. Lunstrum, N. P. Morris, and R. E. Burgeson

623 **Embryonic neural retinal cell response to extracellular matrix proteins: developmental changes and effects of the cell substratum attachment antibody (CSAT).** D. E. Hall, K. M. Neugebauer, and L. F. Reichardt

635 **Multiple influences of a heparin-binding growth factor on neuronal development.** D. Schubert, N. Ling, and A. Baird

645 **The relationship of the postsynaptic 43K protein to acetylcholine receptors in receptor clusters isolated from cultured rat myotubes.** R. J. Bloch and S. C. Froehner

655 **Developmental changes in myelin-induced proliferation of cultured Schwann cells.** J. E. Yoshino, P. W. Mason, and G. H., DeVries

661 **Lysosomal delivery of the major myelin glycoprotein in the absence of myelin assembly: posttranslational regulation of the level of expression by Schwann cells.** K. R. Brunden and J. F. Poduslo

671 **Analyses of the interactions between retinoid-binding proteins and embryonal carcinoma cells.** U. Barkai and M. I. Sherman

679 **Protein kinase C activators suppress stimulation of capillary endothelial cell growth by angiogenic endothelial mitogens.** S. R. Doctrow and J. Folkman

689 **Inhibition of endothelial cell proliferation by gamma-interferon.** R. Friesel, A. Komoriya, and T. Maciag

697 **Perturbation of human endothelial cells by thrombin or PMA changes the reactivity of their extracellular matrix towards platelets.** P. G. de Groot, J. H. Reinders, and J. J. Sixma

705 **Phorbol ester induces the biosynthesis of glycosylated and nonglycosylated plasminogen activator inhibitor 2 in high excess over urokinase-type plasminogen activator in human U-937 lymphoma cells.** C. Genton, E. K. O. Kruithof, and W.-D. Schleuning

713 **Phosphomannosyl-derivatized beads detect a receptor involved in lymphocyte homing.** T. A. Yednock, L. M. Stoolman, and S. D. Rosen

725 **Receptors involved in lymphocyte homing: relationship between a carbohydrate-binding receptor and the MEL-14 antigen.** T. A. Yednock, E. C. Butcher, L. M. Stoolman, and S. D. Rosen

733 **Free diffusion to and from the inner nuclear membrane of newly synthesized plasma membrane glycoproteins.** M. R. Torrisi, L. V. Lotti, A. Pavan, G. Migliaccio, and S. Bonatti

739 **The solution to the cytological paradox of isomorphy.** L. J. Goff and A. W. Coleman

749 **Reconstitution of transport of vesicular stomatitis virus G protein from the endoplasmic reticulum to the Golgi complex using a cell-free system.** W. E. Balch, K. R. Wagner, and D. S. Keller

761 **Assembly and secretion of heavy chains that do not associate posttranslationally with immunoglobulin heavy chain–binding protein.** L. Hendershot, D. Bole, G. Köhler, and J. F. Kearney

769 **The large external domain is sufficient for the correct sorting of secreted or chimeric influenza virus hemagglutinins in polarized monkey kidney cells.** M. G. Roth, D. Gundersen, N. Patil, and E. Rodriguez-Boulan

783 **Depolarization of rat basophilic leukemia cells inhibits calcium uptake and exocytosis.** F. C. Mohr and C. Fewtrell

793 **E. B. Wilson Medalists, 1983–1985**

Volume 104, Number 4, April 1987

Mini-Review

801 **Urokinase-type plasminogen activator: proenzyme, receptor, and inhibitors.** F. Blasi, J.-D. Vassalli, and K. Danø

Regular Articles

805 **A 17-kD centromere protein (CENP-A) copurifies with nucleosome core particles and with histones.** D. K. Palmer, K. O'Day, M. H. Wener, B. S. Andrews, and R. L. Margolis

817 **Molecular cloning of cDNA for CENP-B, the major human centromere autoantigen.** W. C. Earnshaw, K. F. Sullivan, P. S. Machlin, C. A. Cooke, D. A. Kaiser, T. D. Pollard, N. F. Rothfield, and D. W. Cleveland

831 **Dose-dependent relationship between oocyte cytoplasmic volume and transformation of sperm nuclei to metaphase chromosomes.** H. J. Clarke and Y. Masui

841 **Expression of the Ca^{2+}-binding protein, parvalbumin, during embryonic development of the frog, *Xenopus laevis*.** B. K. Kay, A. J. Shah, and W. E. Halstead

849 **Epidermal growth factor and insulin stimulate nuclear pore–mediated macromolecular transport in isolated rat liver nuclei.** M. Schindler and L. Jiang

855 **Isolation and characterization of cDNA clones for rat ribophorin I: complete coding sequence and in vitro synthesis and insertion of the encoded product into endoplasmic reticulum membranes.** V. Harnik-Ort, K. Prakash, E. Marcantonio, D. R. Colman, M. G. Rosenfeld, M. Adesnik, D. D. Sabatini, and G. Kreibich

865 **A mitotic form of the Golgi apparatus in HeLa cells.** J. M. Lucocq, J. G. Pryde, E. G. Berger, and G. Warren

875 **Rapid analytical and preparative isolation of functional endosomes by free flow electrophoresis.** M. Marsh, S. Schmid, H. Kern, E. Harms, P. Male, I. Mellman, and A. Helenius

887 **100-kD coated vesicle proteins: molecular heterogeneity and intracellular distribution studied with monoclonal antibodies.** M. S. Robinson

897 **Mapping two functional domains of clathrin light chains with monoclonal antibodies.** D. S. Kohtz, V. Georgieva-Hanson, J. D. Kohtz, W. J. Schook, and S. Puszkin

905 **Formation of the apical pole of epithelial (Madin–Darby canine kidney) cells: polarity of an apical protein is independent of tight junctions while segregation of a basolateral marker requires cell–cell interactions.** D. E. Vega-Salas, P. J. I. Salas, D. Gundersen, and E. Rodriguez-Boulan

917 **Lateral diffusion of the PH-20 protein on guinea pig sperm: evidence that barriers to diffusion maintain plasma membrane domains in mammalian sperm.** A. E. Cowan, D. G. Myles, and D. E. Koppel

925 **Stimulus-specific induction of phospholipid and arachidonic acid metabolism in human neutrophils.** R. W. Godfrey, R. M. Manzi, M. A. Clark, and S. T. Hoffstein

933 **Inositol 1,4,5 trisphosphate releases calcium from specialized sites within *Limulus* photoreceptors.** R. Payne and A. Fein

939 **300-kD subsynaptic protein copurifies with acetylcholine receptor-rich membranes and is concentrated at neuromuscular synapses.** M. L. Woodruff, J. Theriot, and S. J. Burden

947 **Gamma-aminobutyric acid–containing terminals can be apposed to glycine receptors at central synapses.** A. Triller, F. Cluzeaud, and H. Korn

957 **The amino acid sequences of the myelin-associated glycoproteins: homology to the immunoglobin gene superfamily.** J. L. Salzer, W. P. Holmes, and D. R. Colman

967 **Identification of sarcolemma-associated antigens with differential distributions on fast and slow skeletal muscle fibers.** D. A. Schafer and F. E. Stockdale

981 **Movement of the actin filament bundle in *Mytilus* sperm: a new mechanism is proposed.** L. G. Tilney, Y. Fukui, and D. J. DeRosier

995 **Microfilaments: dynamic arrays in higher plant cells.** R. W. Seagull, M. M. Falconer, and C. A. Weerdenburg

1005 **The variable twist of actin and its modulation by actin-binding proteins.** D. L. Stokes and D. J. DeRosier

1019 **Fluorescence ratio imaging microscopy: temporal and spatial measurements of cytoplasmic pH.** G. R. Bright, G. W. Fisher, J. Rogowska, and D. L. Taylor

1035 **Phase dynamics at microtubule ends: the coexistence of microtubule length changes and treadmilling.** K. W. Farrell, M. A. Jordan, H. P. Miller, and L. Wilson

1047 **Accumulation of adrenocorticotropin secretory granules in the midbody of telophase AtT20 cells: evidence that secretory granules move anterogradely along microtubules.** J. Tooze and B. Burke

1059 **Tubulin–tyrosine ligase has a binding site on β-tubulin: a two-domain structure of the enzyme.** J. Wehland and K. Weber

1069 **Biochemical characterization of tektins from sperm flagellar doublet microtubules.** R. W. Linck and R. E. Stephens

1077 **Localization of types I, II, and III collagen mRNAs in developing human skeletal tissues by in situ hybridization.** M. Sandberg and E. Vuorio

1085 **Distinct localizations of urokinase-type plasminogen activator and its type 1 inhibitor under cultured human fibroblasts and sarcoma cells.** J. Pöllänen, O. Saksela, E.-M. Salonen, P. Andreasen, L. Nielsen, K. Danø, and A. Vaheri

1097 **Heparin modulates the organization of hydrated collagen gels and inhibits gel contraction by fibroblasts.** C. Guidry and F. Grinnell

1105 **Hyaluronate synthetase inhibition by normal and transformed human fibroblasts during growth reduction.** K. Matuoka, M. Namba, and Y. Mitsui

1117 **Correction**

1119 **Correction**

Volume 104, Number 5, May 1987

1125 **In vitro DNA synthesis in the macronuclear replication band of *Euplotes eurystomus*.** D. E. Olins and A. L. Olins

1133 **Sea urchin maternal and embryonic U1 RNAs are spatially segregated in early embryos.** M. A. Nash, S. E. Kozak, L. M. Angerer, R. C. Angerer, H. Schatten, G. Schatten, and W. F. Marzluff

1143 **Monoclonal antibodies identify a group of nuclear pore complex glycoproteins.** C. M. Snow, A. Senior, and L. Gerace

1157 **Nuclear pore complex glycoproteins contain cytoplasmically disposed O-linked *N*-acetylglucosamine.** G. D. Holt, C. M. Snow, A. Senior, R. S. Haltiwanger, L. Gerace, and G. W. Hart

1165 **Translocation of globin fusion proteins across the endoplasmic reticulum membrane in *Xenopus laevis* oocytes.** K. Simon, E. Perara, and V. R. Lingappa

1173 **Gonadotropin beta subunits determine the rate of assembly and the oligosaccharide processing of hormone dimer in transfected cells.** C. L. Corless, M. M. Matzuk, T. V. Ramabhadran, A. Krichevsky, and I. Boime

1183 **Yeast carboxypeptidase Y can be translocated and glycosylated without its amino-terminal signal sequence.** E. Blachly-Dyson and T. H. Stevens

1193 **A signal sequence domain essential for processing, but not import, of mitochondrial pre–ornithine carbamyl transferase.** M. Nguyen, C. Argan, W. P. Sheffield, A. W. Bell, D. Shields, and G. C. Shore

1199 **The posttranslational processing of sucrase–isomaltase in HT-29 cells is a function of their state of enterocytic differentiation.** G. Trugnan, M. Rousset, I. Chantret, A. Barbat, and A. Zweibaum

1207 **Cytochrome P-450 and NADPH-cytochrome P-450 reductase are degraded in the autolysosomes in rat liver.** R. Masaki, A. Yamamoto, and Y. Tashiro

1217 **Tubular lysosomes accompany stimulated pinocytosis in macrophages.** J. Swanson, E. Burke, and S. C. Siverstein

1223 **The role of lysosomal enzymes in killing of mammalian cells by the lysosomotropic detergent *N*-dodecylimidazole.** P. D. Wilson, R. A. Firestone, and J. Lenard

1231 **Regulation by aldosterone of Na^+,K^+-ATPase mRNAs, protein synthesis, and sodium transport in cultured kidney cells.** F. Verrey, E. Schaerer, P. Zoerkler, M. P. Paccolat, K. Geering, J. P. Kraehenbuhl, and B. C. Rossier

1239 **Localization of Na^+, K^+-ATPase α-subunit to the sinusoidal and lateral but not canalicular membranes of rat hepatocytes.** E. S. Sztul, D. Biemesderfer, M. J. Caplan, M. Kashgarian, and J. L. Boyer

1249 **Modulation of the expression of an apical plasma membrane protein of Madin–Darby canine kidney epithelial cells: cell–cell interactions control the appearance of a novel intracellular storage compartment.** D. E. Vega-Salas, P. J. I. Salas, and E. Rodriguez-Boulan

1261 **Sorting of endocytosed transferrin and asialoglycoprotein occurs immediately after internalization in HepG2 cells.** W. Stoorvogel, H. J. Geuze, and G. J. Strous

1269 **Transport of an M_r ~300,000 *Plasmodium falciparum* protein (Pf EMP 2) from the intraerythrocytic asexual parasite to the cytoplasmic face of the host cell membrane.** R. J. Howard, J. A. Lyon, S. Uni, A. J. Saul, S. B. Aley, F. Klotz, L. J. Panton, J. A. Sherwood, K. Marsh, M. Aikawa, and E. P. Rock

1281 **Plasminogen activator and mouse spermatozoa: urokinase synthesis in the male genital tract and binding of the enzyme to the sperm cell surface.** J. Huarte, D. Belin, D. Bosco, A.-P. Sappino, and J.-D. Vassalli

1291 **Electric field–induced redistribution and postfield relaxation of epidermal growth factor receptors on A431 cells.** T. D. Giugni, D. L. Braslau, and H. T. Haigler

1299 **Redistribution of microtubules and pericentriolar material during the development of polarity in mouse blastomeres.** E. Houliston, S. J. Pickering, and B. Maro

1309 **Myosin light chain kinase and myosin light chain phosphatase from *Dictyostelium*: effects of reversible phosphorylation on myosin structure and function.** L. M. Griffith, S. M. Downs, and J. A. Spudich

1325 **Skelemins: cytoskeletal proteins located at the periphery of M-discs in mammalian striated muscle.** M. G. Price

1337 **Quantitation of an alpha subunit splicing intermediate: evidence for transcriptional activation in the control of acetylcholine receptor expression in denervated chick skeletal muscle.** B. H. Shieh, M. Ballivet, and J. Schmidt

1343 **Immunoelectron microscopical localization of phospholamban in adult canine ventricular muscle.** A. O. Jorgensen and L. R. Jones

1353 **Neuronal inhibition of astroglial cell proliferation is membrane mediated.** M. E. Hatten

1361 **Adhesion molecules during somitogenesis in the avian embryo.** J.-L. Duband, S. Dufour, K. Hatta, M. Takeichi, G. M. Edelman, and J. P. Thiery

1375 **Filopodia are enriched in a cell cohesion molecule of M_r 80,000 and participate in cell–cell contact formation in *Dictyostelium discoideum*.** A. H. C. Choi and C.-H. Siu

1389 **The relationship between intermediate filaments and microfilaments before and during the formation of desmosomes and adherens-type junctions in mouse epidermal keratinocytes.** K. J. Green, B. Geiger, J. C. R. Jones, J. C. Talian, and R. D. Goldman

1403 **Fibrinogen induces adhesion, spreading, and microfilament organization of human endothelial cells in vitro.** E. Dejana, S. Colella, L. R. Languino, G. Balconi, G. C. Corbascio, and P. C. Marchisio

1413 **Interaction of human thrombospondin with types I–V collagen: direct binding and electron microscopy.** N. J. Galvin, P. M. Vance, V. M. Dixit, B. Fink, and W. A. Frazier

1423 **Composition of the von Willebrand factor storage organelle (Weibel–Palade body) isolated from cultured human umbilical vein endothelial cells.** B. M. Ewenstein, M. J. Warhol, R. I. Handin, and J. S. Pober

1435 **The calcification of cartilage matrix in chondrocyte culture: studies of the C-propeptide of type II collagen (chondrocalcin).** A. Hinek, A. Reiner, and A. R. Poole

1443 **Placement Service Notices**

Volume 104, Number 6, June 1987

Mini-Review

1449 **The covalent modification of eukaryotic proteins with lipid.** B. M. Sefton and J. E. Buss

Regular Articles

1455 **Three-dimensional organization of *Drosophila melanogaster* interphase nuclei. I. Tissue-specific aspects of polytene nuclear architecture.** M. Hochstrasser and J. W. Sedat

1471 **Three-dimensional organization of *Drosophila melanogaster* interphase nuclei. II. Chromosome spatial organization and gene regulation.** M. Hochstrasser and J. W. Sedat

1485 ***Tetrahymena* contain two distinct and unusual high mobility group (HMG)–like proteins.** I. G. Schulman, R. G. Cook, R. Richman, and C. D. Allis

1495 **Regulation of the mRNA levels of *nim*A, a gene required for the G2-M transition in *Aspergillus nidulans*.** S. A. Osmani, G. S. May, and N. R. Morris

1505 **Cloning and characterization of mammalian myosin regulatory light chain (RLC) cDNA: the RLC gene is expressed in smooth, sarcomeric, and nonmuscle tissues.** M. B. Taubman, J. W. Grant, and B. Nadal-Ginard

1515 **Actin in the preprophase band of *Allium cepa*.** B. A. Palevitz

1521 **Alpha-actinin–containing aggregates in transformed cells are highly dynamic structures.** S. K. Stickel and Y. Wang

1527 **Modulation of fodrin (membrane skeleton) stability by cell–cell contact in Madin–Darby canine kidney epithelial cells.** W. J. Nelson and P. J. Veshnock

1539 **The *Dictyostelium discoideum* 30,000-dalton protein is an actin filament–bundling protein that is selectively present in filopodia.** M. Fechheimer

1553 **"Buttonin," a unique button-shaped microtubule-associated protein (75 kD) that decorates spindle microtubule surface hexagonally.** N. Hirokawa and S.-I. Hisanaga

1563 **Cross-reactivity of antibodies specific for flagellar tektin and intermediate filament subunits.** X. Chang and G. Piperno

1569 **Posttranslational modifications of α-tubulin: acetylated and detyrosinated forms in axons of rat cerebellum.** M. A. Cambray-Deakin and R. D. Burgoyne

1575 **Colocalization of microtubule-associated protein 1A and microtubule-associated protein 2 on neuronal microtubules in situ revealed with double-label immunoelectron microscopy.** Y. Shiomura and N. Hirokawa

1579 **Visualization of neural cell adhesion molecule by electron microscopy.** A. K. Hall and U. Rutishauser

1587 **Biochemical and functional characterization of a novel neuron-glia adhesion molecule that is involved in neuronal migration.** H. Antonicek, E. Persohn, and M. Schachner

1597 **The novel carbohydrate epitope L3 is shared by some neural cell adhesion molecules.** A. Kücherer, A. Faissner, and M. Schachner

1603 **Nonneuronal cells mediate neurotrophic action of vasoactive intestinal peptide.** D. E. Brenneman, E. A. Neale, G. A. Foster, S. W. d'Autremont, and G. L. Westbrook

1611 **Long-term, heterologous down-regulation of the epidermal growth factor receptor in PC12 cells by nerve growth factor.** P. Lazarovici, G. Dickens, H. Kuzuya, and G. Guroff

1623 **Changes of nerve growth factor synthesis in nonneuronal cells in response to sciatic nerve transection.** R. Heumann, S. Korsching, C. Bandtlow, and H. Thoenen

1633 **A postsynaptic M_r 58,000 (58K) protein concentrated at acetylcholine receptor-rich sites in *Torpedo* electroplaques and skeletal muscle.** S. C. Froehner, A. A. Murnane, M. Tobler, H. B. Peng, and R. Sealock

1647 **Ligand- and weak base–induced redistribution of asialoglycoprotein receptors in hepatoma cells.** J. E. Zijderhand-Bleekemolen, A. L. Schwartz, J. W. Slot, G. J. Strous, and H. J. Geuze

1655 **The platelet fibrinogen receptor: an immunogold-surface replica study of agonist-induced ligand binding and receptor clustering.** W. M. Isenberg, R. P. McEver, D. R. Phillips, M. A. Schuman, and D. F. Bainton

1665 **Biosynthesis and processing of platelet GPIIb–IIIa in human megakaryocytes.** A. Duperray, R. Berthier, E. Chagnon, J.-J. Ryckewaert, M. Ginsberg, E. Plow, and G. Marguerie

1675 **Platelet proteins, including platelet-derived growth factor, specifically depress a subset of the multiple components of the response elicited by glutathione in *Hydra*.** K. Hanai, H. Kato, S. Matsuhashi, H. Morita, E. W. Raines, and Russell Ross

1683 **Interaction of small dermatan sulfate proteoglycan from fibroblasts with fibronectin.** G. Schmidt, H. Robenek, B. Harrach, J. Glössl, V. Nolte, H. Hörmann, H. Richter, and H. Kresse

1693 **Partial deletion of membrane-bound domain of 3-hydroxy-3-methylglutaryl coenzyme A reductase eliminates sterol-enhanced degradation and prevents formation of crystalloid endoplasmic reticulum.** H. Jingami, M. S. Brown, J. L. Goldstein, R. G. W. Anderson, and K. L. Luskey

1705 **The influenza hemagglutinin insertion signal is not cleaved and does not halt translocation when presented to the endoplasmic reticulum membrane as part of a translocating polypeptide.** J. Finidori, L. Rizzolo, A. Gonzalez, G. Kreibich, M. Adesnik, and D. D. Sabatini

1715 **Membranes of sorting organelles display lateral heterogeneity in receptor distribution.** H. J. Geuze, J. W. Slot, and A. L. Schwartz

1725 **Cleavage of membrane secretory component to soluble secretory component occurs on the cell surface of rat hepatocyte monolayers.** L. S. Musil and J. U. Baenziger

1735 **Is movement of mannose 6-phosphate–specific receptor triggered by binding of lysosomal enzymes?** T. Braulke, C. Gartung, A. Hasilik, and K. von Figura

1743 **Lysosomal enzyme precursors in coated vesicles derived from the exocytic and endocytic pathways.** P. Lemansky, A. Hasilik, K. von Figura, S. Helmy, J. Fishman, R. E. Fine, N. L. Kedersha, and L. H. Rome

1749 **Differential and sequential delivery of fluorescent lysosomal probes into phagosomes in mouse peritoneal macrophages.** Y. Wang and M. B. Goren

1755 **Correction**

1757 **E. B. Wilson Medalists, 1986**

1759 **Author Index for Volume 104**